



INtime[®] for Windows[®] Licensing
Appendix 6
with Entitlement
using License Portal
Procedure



Appendix 6 – License Portal with an Entitlement

Use this procedure if the INtime distribution host does not have an internet connection and with an Entitlement using the TenAsys License Portal. An Entitlement administered by your company’s Operations Manager is required.

Identifying license components:

Fingerprint: ---- BEGIN HOST INFO ----<ascii>---- END HOST INFO ----



Entitlement Code: 8digits-4digits-4digits-4digits-12digits<32 Hexadecimal digits total>
01234567-89AB-CDEF-0123-456789ABCDEF


Used once to obtain a license from the TenAsys license server.

License String: *<ascii license string>[# “16” version “”, no expiration date, exclusive...]
Located in the %INTIMECFG%\lservc file

The license portal option consists of capturing a fingerprint from the distribution host, pasting that fingerprint in the TenAsys License Portal, saving the returned license file, and loading it on the distribution host using the “Add license...” function in the license manager. The details follow.

Step by Step License Portal Example

The instructions are performed on two platforms, which may be the same, one with an Internet connection  to the TenAsys.com web site, and the distribution host .

On the Distribution Host:  Open the *INtime Configuration Panel* on the distribution host. The *INtime Configuration Panel* can be accessed either by selecting “INtime Configuration” from the *INtime Status Monitor* in the Windows System Notification Area, or by typing in “INtime” in the search bar of the Start Menu and selecting “INtime Configuration” from the list of applications listed.




Figure 6.1 – Restart INtime

Launching the License Manager window

In the INtime Configuration panel, double-click the *License Manager* icon.

Confirm obtaining a license over the Internet

The INtime Configuration tool will prompt to obtain an INtime license over the internet. Click **No**. If the distribution host is already licensed, this dialog will not appear.

The *License Management* window will appear next.




Figure 6.2 – Starting the internet license dialog




Figure 6.3 – License Management window

Click **Get Fingerprint** and a window will appear with the fingerprint, as shown below.





Figure 6.4 – Fingerprint

Use **Save As ...** in the window to save the fingerprint as a text file to take to an internet connected system.

On an internet connection:  Open a browser to license.tenasys.com, the Entitlement *TenAsys License Portal*. Enter the Entitlement for the distribution host. As the name implies, an Entitlement can only be used once.




Figure 6.5 – TenAsys License Management portal Entitlement page

After entering the Entitlement, click **Proceed**.




Figure 6.6 – License portal fingerprint entry

The site will show the status of the Entitlement. If the Entitlement has not used, the type of license associated with the Entitlement is shown. Paste the fingerprint from the distribution host and enter a tracking comment (the Operations Manager for your account will see this comment).




Figure 6.7 – License portal with fingerprint entered

Click **Create License** to generate the license.





Figure 6.8 – Fingerprint validated

Use **Copy License** to paste the license string or **License File** to save the license string to a file.

DO NOT CLOSE THIS PAGE without saving the license string to a file!!

Your Operations Manager can retrieve the license from the data base. Transfer the license file to the distribution host.

On the Distribution Host:  Open the *INtime Configuration Panel*. Double click the *License Manager* icon and the *License Management* window will appear.




Figure 6.9 – License Management window

Use **Install License File** to import the license file.
Or use **Enter License String** to paste the license string.




Figure 6.10 – Enter license string window

Paste the license string into the field.
Click **OK**.

A restart of the INtime Kernel Manager is required.

Viewing the installed license

Open the *License Management* window to view the new license entry.




Figure 6.11 – License displayed in the License Management window